Code

## **PSYCHIATRIC REVIEW TECHNIQUE**

| Name       |        |                 |  | SSN                         |           |  |
|------------|--------|-----------------|--|-----------------------------|-----------|--|
| NH (If dif | ferent | from above      | ;)   | SSN                         |           |  |
| I.         | M      | IEDICAL SUMMARY |  |                             |           |  |
|            | A.     | Assessm         | ent is from:   | _to                         |           |  |
|            | B.     | Medical         | Disposition(s):  |                             |           |  |
|            |        | 1.              | No Medically Determinable Impairment                     |                             |           |  |
|            |        | 2.              | Impairment(s) Not Severe                                 |                             |           |  |
|            |        | 3.              | Impairment(s) Severe But Not Expected to Last 12 M       | Ionths                      |           |  |
|            |        | 4.              | Meets Listing (Cite List                                 | sting)                      |           |  |
|            |        | 5.              | Equals Listing (Cite Listing                             | sting)                      |           |  |
|            |        | 6.              | RFC Assessment Necessary                                 |                             |           |  |
|            |        | 7.              | Coexisting Nonmental Impairment(s) that Requires F       | Referral to Another Medical | Specialty |  |
|            |        | 8.              | Insufficient Evidence                                    |                             |           |  |
|            | a      | C (             |  |                             |           |  |
|            | C.     |                 | y(ies) Upon Which the Medical Disposition is Based:      |                             |           |  |
|            |        | 1.              | 12.02 Organic Mental Disorders                           |                             |           |  |
|            |        | 2.              | 12.03 Schizophrenic, Paranoid and Other Psychotic I      | Disorders                   |           |  |
|            |        | 3.              | 12.04 Affective Disorders                                |                             |           |  |
|            |        | 4.              | 12.05 Mental Retardation                                 |                             |           |  |
|            |        | 5.              | 12.06 Anxiety-Related Disorders                          |                             |           |  |
|            |        | 6.              | 12.07 Somatoform Disorders                               |                             |           |  |
|            |        | 7.              | 12.08 Personality Disorders                              |                             |           |  |
|            |        | 8.              | 12.09 Substance Addiction Disorders                      |                             |           |  |
|            |        | 9.              | 12.10 Autism and Other Pervasive Developmental D         | isorders                    |           |  |
|            |        |                 |  |                             |           |  |
|            |        | These fin       | ndings complete the medical portion of the disability de | etermination.               |           |  |
| MC/PC's    | Sign   | ature           |  |                             | Date      |  |

MC/PC's Printed Name

| <b>A.</b> | 12. | .02 ( | Organic Mental Disorders   |
|-----------|-----|-------|--|
|           |     |       | gical or behavioral abnormalities associated with a dysfunction of the brainas evidenced by at least or lowing:  |
|           | 1.  |       | Disorientation to time and place   |
|           | 2.  |       | Memory impairment  |
|           | 3.  |       | Perceptual or thinking disturbances  |
|           | 4.  |       | Change in personality  |
|           | 5.  |       | Disturbance in mood  |
|           | 6.  |       | Emotional lability and impairment in impulse control   |
|           | 7.  |       | Loss of measured intellectual ability of at least 15 IQ points from premorbid levels or overall impairment index clearly within the severely impaired range on neuropsychological testing, e.g., the Luria-Nebraska, Halstead-Reitan, etc. |
|           |     |       | lly determinable impairment is present that does not precisely satisfy the diagnostic criteria above.  |
|           |     |       |  |
|           |     |       |  |
|           |     |       | symptoms, signs, and laboratory findings that substantiate the presence of the impairment:   |
|           |     |       |  |
|           |     |       |  |
|           |     |       |  |
|           |     |       |  |
|           |     |       |  |
|           |     |       |  |
|           |     |       |  |
|           |     |       |  |
|           |     |       |  |
|           |     |       |  |
|           |     |       |  |
|           |     |       |  |
|           |     |       |  |

|    | sychotic<br>ne follow | features and deterioration that are persistent (continuous or intermittent), as evidenced by at least one o ing:                     |
|----|-----------------------|--|
| 1. |                       | Delusions or hallucinations  |
| 2. |                       | Catatonic or other grossly disorganized behavior   |
| 3. |                       | Incoherence, loosening of associations, illogical thinking, or poverty of content of speech if associated with one of the following: |
|    |                       | a. D Blunt affect, or  |
|    |                       | b. Elat affect, or   |
|    |                       | c. Inappropriate affect  |
| 4. |                       | Emotional withdrawal and/or isolation  |
| A  | medical               | ly determinable impairment is present that does not precisely satisfy the diagnostic criteria above.                                 |
|    | oisorder              |  |
|    |                       | symptoms, signs, and laboratory findings that substantiate the presence of this impairment.  |
|    |                       |  |
|    |                       |  |
|    |                       |  |
|    |                       |  |
|    |                       |  |
|    |                       |  |
|    |                       |  |

|    | the foll | ice of mood, accompanied by a full or partial manic or depressive syndrome, as evidenced by at least or owing:  |
|----|----------|---|
| 1. |          | Depressive syndrome characterized by at least four of the following:  |
|    |          | a. Anhedonia or pervasive loss of interest in almost all activities, or   |
|    |          | b. Appetite disturbance with change in weight, or   |
|    |          | c. Sleep disturbance, or  |
|    |          | d. Dyschomotor agitation or retardation, or   |
|    |          | e. Decreased energy, or   |
|    |          | f. Eeelings of guilt or worthlessness, or   |
|    |          | g. Difficulty concentrating or thinking, or   |
|    |          | h. Thoughts of suicide, or  |
|    |          | i. Hallucinations, delusions or paranoid thinking   |
| 2. |          | Manic syndrome characterized by at least three of the following:  |
|    |          | a. Hyperactivity, or  |
|    |          | b. Pressures of speech, or  |
|    |          | c. Elight of ideas, or  |
|    |          | d. Inflated self-esteem, or   |
|    |          | e. Decreased need for sleep, or   |
|    |          | f. Easy distractibility, or   |
|    |          | g. Involvement in activities that have a high probability of painful consequences which are recognized, or  |
|    |          | h. Hallucinations, delusions or paranoid thinking   |
| 3. |          | Bipolar syndrome with a history of episodic periods manifested by the full symptomatic picture of be manic and depressive syndromes (and currently characterized by either or both syndromes) |
|    |          | lly determinable impairment is present that does not precisely satisfy the diagnostic criteria above  |
|    |          |   |
|    |          | symptoms, signs, and laboratory findings that substantiate the presence of this impairment (explain in<br>consultant's Notes, if necessary):  |

| D. 12 | 2.05 1 | Mental | Retar | dation |
|-------|--------|--------|-------|--------|
|-------|--------|--------|-------|--------|

| Significantly subaverage general intellectual functioning with deficits in adaptive functioning initially manifested |
|--|
| during the developmental period; i.e., the evidence demonstrates or supports onset of the impairment before          |
| age 22, with one of the following:   |

| 1. | Mental incapacity evidenced by dependence upon others for personal needs (e.g., toileting, eating,       |
|----|--|
|    | dressing, or bathing) and inability to follow instructions such that the use of standardized measures of |
|    | intellectual functioning is precluded*   |

- 2. A valid verbal, performance, or full scale IQ of 59 or less\*
- 3. A valid verbal, performance, or full scale IQ of 60 through 70 and a physical or other mental impairment imposing an additional and significant work-related limitation of function\*
- 4. A valid verbal, performance, or full scale IQ of 60 through 70\*
- A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above.
  - Disorder \_\_\_\_\_

Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment.

Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).

\*NOTE: Items 1, 2, 3, and 4 correspond to listings 12.05A, 12.05B, 12.05C, and 12.05D, respectively.

|     |        | s the predominant disturbance or anxiety experienced in the attempt to master symptoms, as evidenced b<br>he of the following:  |
|-----|--------|---|
| 1.  |        | Generalized persistent anxiety accompanied by three of the following:   |
|     |        | a. D Motor tension, or  |
|     |        | b. Autonomic hyperactivity, or  |
|     |        | c. Apprehensive expectation, or   |
|     |        | d. Vigilance and scanning   |
| 2.  |        | A persistent irrational fear of a specific object, activity or situation which results in a compelling desire to avoid the dreaded object, activity, or situation                             |
| 3.  |        | Recurrent severe panic attacks manifested by a sudden unpredictable onset of intense apprehension, fear, terror, and sense of impending doom occurring on the average of at least once a week |
| 4.  |        | Recurrent obsessions or compulsions which are a source of marked distress   |
| 5.  |        | Recurrent and intrusive recollections of a traumatic experience, which are a source of marked distress  |
| Dis | sorder | lly determinable impairment is present that does not precisely satisfy the diagnostic criteria above.   |
| Dis | sorder |   |

|   |          | symptoms for which there are no demonstrable organic findings or known physiological mechanisms, as d by at least one of the following:   |
|---|----------|---|
| 1 |          | A history of multiple physical symptoms of several years duration beginning before age 30, that have caused the individual to take medicine frequently, see a physician often and alter life patterns significantly |
| 2 |          | Persistent nonorganic disturbance of one of the following:  |
|   |          | a. Vision, or   |
|   |          | b. Speech, or   |
|   |          | c. Hearing, or  |
|   |          | d. Use of a limb, or  |
|   |          | e. D Movement and its control (e.g., coordination disturbances, psychogenic seizures, akinesia, dyskinesia), or   |
|   |          | f. Sensation (e.g., diminished or heightened)   |
| 3 |          | Unrealistic interpretation of physical signs or sensations associated with the preoccupation or belief the one has a serious disease or injury  |
|   |          | ally determinable impairment is present that does not precisely satisfy the diagnostic criteria above.  |
| D | Disorder |   |
| D | Disorder | ally determinable impairment is present that does not precisely satisfy the diagnostic criteria above.  |
| D | Disorder | ally determinable impairment is present that does not precisely satisfy the diagnostic criteria above.  |
| D | Disorder | ally determinable impairment is present that does not precisely satisfy the diagnostic criteria above.  |
| D | Disorder | ally determinable impairment is present that does not precisely satisfy the diagnostic criteria above.  |
| D | Disorder | ally determinable impairment is present that does not precisely satisfy the diagnostic criteria above.  |
| D | Disorder | ally determinable impairment is present that does not precisely satisfy the diagnostic criteria above.  |
| D | Disorder | ally determinable impairment is present that does not precisely satisfy the diagnostic criteria above.  |
| D | Disorder | ally determinable impairment is present that does not precisely satisfy the diagnostic criteria above.  |

| G. | 12.08 | Personality | Disorders |
|----|-------|-------------|-----------|
|----|-------|-------------|-----------|

| Inflexible and maladaptive personality traits which cause either significant impairment in social or occupational |
|---|
| functioning or subjective distress, as evidenced by at least one of the following:                                |

- 1. Seclusiveness or autistic thinking
- 2. Dethologically inappropriate suspiciousness or hostility
- 3. Oddities of thought, perception, speech and behavior
- 4. Persistent disturbances of mood or affect
- 5. Dethological dependence, passivity, or aggressivity
- 6. Intense and unstable interpersonal relationships and impulsive and damaging behavior
- A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above.

Disorder \_\_\_\_\_

Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:

Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).

| H. | 12.09 | Substance | Addiction | Disorders |
|----|-------|-----------|-----------|-----------|
|----|-------|-----------|-----------|-----------|

| Behavioral changes or physical changes associated with the regular use of substances that affect the central |
|--|
| nervous system.  |

If present, evaluate under one or more of the most closely applicable listings:

| 1.  |         | Listing 12.02—Organic mental disorders*  |
|-----|---------|--|
| 2.  |         | Listing 12.04—Affective disorders*   |
| 3.  |         | Listing 12.06—Anxiety-related disorders*   |
| 4.  |         | Listing 12.08—Personality disorders*   |
| 5.  |         | Listing 11.14—Peripheral neuropathies*   |
| 6.  |         | Listing 5.05—Liver damage*   |
| 7.  |         | Listing 5.04—Gastritis*  |
| 8.  |         | Listing 5.08—Pancreatitis*   |
| 9.  |         | Listing 11.02 or 11.03—Seizures*   |
| Dis | order . | ly determinable impairment is present that does not precisely satisfy the diagnostic criteria above. |
|     |         |  |
| Ins | ufficie | nt evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).   |

\*NOTE: Items 1, 2, 3, 4, 5, 6, 7, 8, and 9 correspond to listings 12.09A, 12.09B, 12.09C, 12.09D, 12.09F, 12.09F, 12.09G, 12.09H, and 12.09I, respectively. If items 1, 2, 3, or 4 are checked, only the numbered items in subsections IIA, IIC, IIE, or IIG of the form need be checked. The first block under the disorder heading in those subsections should not be checked, unless the evidence substantiates the presence of the disorder separate from the substance addiction disorder.

| <ul> <li>□ Qualitative deficits in the development of reciprocal social interaction, in the development of verbal and nonverb communication skills, and in imaginative activity. Often there is a markedly restricted repertoire of activities and interests, which frequently are storeotyped and repetitive.</li> <li>1Autistic disorder, with medically documented findings of all of the following: <ul> <li>aQualitative deficits in reciprocal social interaction</li> <li>bQualitative deficits in verbal and nonverbal communication and in imaginative activity</li> <li>cMarkedly restricted repertoire of activities and interests</li> </ul> </li> <li>2Other pervasive developmental disorders, with medically documented findings of both of the following: <ul> <li>aQualitative deficits in verbal and nonverbal communication and in imaginative activity</li> <li>cMarkedly restricted repertoire of activities and interests</li> </ul> </li> <li>2Other pervasive developmental disorders, with medically documented findings of both of the following: <ul> <li>aQualitative deficits in verbal and nonverbal communication and in imaginative activity</li> </ul> </li> <li>A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder</li></ul> | - |           |   |
|--|---|-----------|---|
| <ul> <li>a. Qualitative deficits in reciprocal social interaction</li> <li>b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity</li> <li>c. Markedly restricted repertoire of activities and interests</li> <li>2. Other pervasive developmental disorders, with medically documented findings of both of the followir</li> <li>a. Qualitative deficits in reciprocal social interaction</li> <li>b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity</li> </ul>  |   | communi   | cation skills, and in imaginative activity. Often there is a markedly restricted repertoire of activities and |
| <ul> <li>b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity</li> <li>c. Markedly restricted repertoire of activities and interests</li> <li>2. Other pervasive developmental disorders, with medically documented findings of both of the followir</li> <li>a. Qualitative deficits in reciprocal social interaction</li> <li>b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity</li> <li>A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above.</li> <li>Disorder</li> </ul>   |   | 1.        | Autistic disorder, with medically documented findings of all of the following:                                |
| <ul> <li>c. Markedly restricted repertoire of activities and interests</li> <li>2. Other pervasive developmental disorders, with medically documented findings of both of the followir <ul> <li>a. Qualitative deficits in reciprocal social interaction</li> <li>b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity</li> </ul> </li> <li>A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. <ul> <li>Disorder</li></ul></li></ul>   |   |           | a. Qualitative deficits in reciprocal social interaction  |
| <ul> <li>2. Other pervasive developmental disorders, with medically documented findings of both of the following a. Qualitative deficits in reciprocal social interaction</li> <li>b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity</li> <li>A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above.</li> <li>Disorder</li></ul>  |   |           | b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity                     |
| <ul> <li>a. Qualitative deficits in reciprocal social interaction</li> <li>b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity</li> <li>A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above.</li> <li>Disorder</li> </ul>   |   |           | c. A Markedly restricted repertoire of activities and interests   |
| <ul> <li>b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity</li> <li>A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above.</li> <li>Disorder</li></ul>  |   | 2.        | Other pervasive developmental disorders, with medically documented findings of both of the following          |
| A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above.<br>Disorder  |   |           | a. Qualitative deficits in reciprocal social interaction  |
| Disorder   |   |           | b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity                     |
| retunent symptoms, signs, and natoratory minungs that substantiate the presence of this impartment:  |   | Disorder  |   |
|  |   | Pertinent | symptoms, signs, and laboratory findings that substantiate the presence of this impairment:                   |
|  |   |           |   |
|  |   |           |   |
|  |   |           |   |
|  |   |           |   |
|  |   |           |   |
|  |   |           |   |
|  |   |           |   |
|  |   |           |   |
|  |   |           |   |
|  |   |           |   |
|  |   |           |   |
|  |   |           |   |
|  |   |           |   |
|  |   |           |   |
|  |   |           |   |

| <ul> <li>Indicate to what degree the following functional limitations (which are found in paragraph B of listings 12.02-12.04, 12.06-12.08 and 12.10 and paragraph D of 12.05) exist as a result of the individual's mental disorder(s).</li> <li>NOTE: Item 4 below is more than a measure of frequency and duration. See 12.00C4 and also read carefully the instructions for this section.</li> <li>Specify the listing(s) (i.e., 12.02 through 12.10) under which the items below are being rated</li> </ul> |      |  |                  |          |                     |                       |  |
|--|------|--|------------------|----------|---------------------|-----------------------|--|
| FUNCTIONAL<br>LIMITATION   |      | DEC  | GREE OF L        | IMITATIO | DN                  |                       |  |
| <ol> <li>Restriction of Activities<br/>of Daily Living</li> </ol>  | None | Mild   | Moderate         | Marked*  | Extreme*            | Insufficie<br>Evidenc |  |
| 2. Difficulties in Maintaining<br>Social Functioning   | None | Mild   | Moderate         | Marked*  | Extreme*            | Insufficie<br>Evidenc |  |
| <ol> <li>Difficulties in Maintaining<br/>Concentration, Persistence,<br/>or Pace</li> </ol>  | None | Mild   | Moderate         | Marked*  | Extreme*            | Insufficie<br>Evidenc |  |
| <ol> <li>Repeated Episodes of<br/>Decompensation, Each of<br/>Extended Duration</li> </ol>   | None |  | One<br>or<br>Two | Three*   | Four*<br>or<br>More | Insufficie<br>Evidenc |  |
|  | *    | *Degree of limitation that satisfies the functional criterion. |                  |          |                     |                       |  |

| В. | "C" Criteria of the Listings   |
|----|--|
| 1. | Complete this section if 12.02 (Organic Mental), 12.03 (Schizophrenic, etc.), or 12.04 (Affective) applies <u>and</u> the requirements in paragraph B of the appropriate listing are not satisfied.  |
| NO | TE: Item 1 below is more than a measure of frequency and duration. See 12.00C4 and also read carefully the instructions for this section.  |
|    | Medically documented history of a chronic organic mental (12.02), schizophrenic, etc. (12.03), or affective (12.04) disorder of at least 2 years' duration that has caused more than a minimal limitation of ability to do any basic work activity, with symptoms or signs currently attenuated by medication or psychosocial support, and one of the following: |
|    | 1. Repeated episodes of decompensation, each of extended duration  |
|    | 2. A residual disease process that has resulted in such marginal adjustment that even a minimal increase in mental demands or change in the environment would be predicted to cause the individual to decompensate   |
|    | 3. Current history of 1 or more years' inability to function outside a highly supportive living arrangement with an indication of continued need for such an arrangement   |
|    | Evidence does not establish the presence of the "C" criteria   |
|    | Insufficient evidence to establish the presence of the "C" criteria (explain in Part IV, Consultant's Notes).  |
| 2. | Complete this section if 12.06 (Anxiety-Related) applies <u>and</u> the requirements in paragraph B of listing 12.06 are not satisfied.  |
|    | Complete inability to function independently outside the area of one's home  |
|    | Evidence does not establish the presence of the "C" criteria   |
|    | Insufficient evidence to establish the presence of the "C" criterion (explain in Part IV, Consultant's Notes).   |
|    |  |
|    |  |
|    |  |
|    |  |

| IV. | CONSULTANT'S NOTES |
|-----|--------------------|
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |
|     |                    |

Section 223 and section 1633 of the Social Security Act authorize the information requested on this form. The information provided will be used in making a decision on this claim. Completion of this form is mandatory in disability claims involving mental impairments. Failure to complete this form may result in a delay in processing the claim. Information furnished on this form may be disclosed by the Social Security Administration to another person or governmental agency only with respect to Social Security programs and to comply with federal laws requiring the exchange of information between Social Security and another agency.

We may also use the information you give us when we match records by computer. Matching programs compare our records with those of other Federal, State, or local government agencies. Many agencies may use matching programs to find or prove that a person qualifies for benefits paid by the Federal government. The law allows us to do this even if you do not agree to it.

Explanations about these and other reasons why information about you may be used or given out are available in Social Security offices. If you want to learn more about this, contact any Social Security office.

PAPERWORK REDUCTION ACT STATEMENT: **The Paperwork Reduction Act of 1995** requires us to notify you that this information collection is in accordance with the clearance requirements of section 3507 of the Paperwork Reduction Act of 1995. We may not conduct or sponsor, and you are not required to respond to, a collection of information unless it displays a valid OMB control number. We estimate that it will take you about 15 minutes to complete this form. This includes the time it will take to read the instructions, gather the necessary facts and fill out the form.